INDEX TO VOLUME III

Acid fuchsin 57, 60, 64, 81, 88, 89, 90, 92
Alcohol, ethyl, substitute for in the Gram Stain 71
Alizarin 114
  solubility of 13
Alizarin W, solubility of 13
Alizarole orange G, solubility of 12
Alizarole yellow GW, solubility of 12
Amaranth, solubility of 12
Ammonium carminate 117
  dry, Hoyer's 117
Anilin blue (spirit sol.), solubility of 13
Anthraquinon 29, 30, 31
Arkush, A. S.; F. Proescher and. Metallic lakes of the oxazines (gallamin blue, gallocyanin and coelestin blue) as nuclear stain substitutes for hematoxylin 28
Auramin O, solubility of 13
Aurantia 58
  solubility of 12
Azo bordeaux, solubility of 12
Azure A 131, 133–138
Azure B 45, 46, 47, 131, 133–136, 138
Azure C 122, 129, 131, 133–136, 138

Bacteria, isoelectric point of 87
Bacterial spores, staining with Wright's Stain 140
Basic dyes, reactions of, with cyclic derivatives of an acid character 122
Basic fuchsin 16, 64–67, 69, 82, 122–126
Beneke, pioneer in staining 10
Berlin blue 114
Biebrich scarlet, solubility of 12
Bismark brown R, solubility of 13
Bismark brown Y, solubility of 13
Böhmer, F, pioneer in staining 10
Brilliant cresyl blue 58
Buffered solutions, influence of on staining properties of thiazin dyes 131

Carbol fuchsin 130
Carmalum 118
Carmin 6–8, 28–30
  aceto 112, 113, 116
  ammoniacal 112, 113, 115
  Beale's formula for 113
  Best's formula for 120
  boric 112–115
  Grenacher's formulae for 115, 116
  history of staining with 110–120
  Hoyer's formula for 114
  lithia 118
  manufacture of 111

Mayer's modification of Grenacher's formula for 116
Orth's formula for 118
Schneider's formula for 116
Schwartz' formula for, with picric acid 113
Schweiger-Seidel and Dogiel's formula for 113
Carmin
Thiersch's formulae for 112, 113
Carminate, ammonium, dry, Hoyer's 117
sodium, dry 117
Carminic acid 118, 119
Mayer's formulae for 118, 119
Rawitz' formula for 119
Cell constituents, staining of, in diseased plant tissues 57
Certain factors influencing the staining properties of fluorescein derivatives. 94
Certification of stains 105–109
Chemical nature of a decolorizer, effect of, on its functioning. I. The Gram classification 81
II. The apparent isoelectric point 87
Chromotrope 2 R, solubility of 12
Chrysoidine R, solubility of 12
Chrysoidine Y, solubility of 12
Churchman, John W., and Louis Siegel. Cultural separation of bacteria on the basis of triphenyl methane co-efficients 73
Cochineal, aqueous-alcoholic, Spuler's 119
Czokor's formula for 116
iron-alum 119
manufacture of 111
Mayer's formula for 119
Mayer's tincture of 115
Cochineal dyes, staining with, history of 110
Coelestin blue 28, 31–33, 36
Cohn, F, pioneer in staining 1, 5
Colletotrichum lindemuthianum, staining of 60
Congo red, solubility of 13
Conn, H. J.
A new substitute for ethyl alcohol in the Gram stain 71
Progress in the standardization of stains:
Five years of stain standardization 105
Stain substitutes 41
The history of staining: Pioneers in staining 1
Conn, H. J. and W. C. Holmes. Certain factors influencing the staining properties of fluorescein derivatives 94
Conn, H. J. and S. I. Kornhauser. The history of staining: Cochineal dyes 110
Corti, A., pioneer in staining 6
Cresyl violet (NAC), solubility of 13
Crystal violet 22, 41, 42, 64, 69, 73, 75, 77–79, 122, 123, 126–130
Cultural separation of bacteria on the basis of triphenyl methane co-efficients 73
Cyclic derivatives of an acid character, reactions of basic dyes with 122

Decolorizer, effect of chemical nature of, on its functioning. I. The Gram classification 81
II. The apparent isoelectric point 87
Discussion of some of the factors causing variable results with flagella stains 14
Discussion of paper on "Metallic lakes of the oxazines as nuclear stain substitutes for hematoxylin" 70
Diseased plant tissues, staining cell constituents in 57
Dufrenoy, J. Staining cell constituents in diseased plant tissues 57
Dutton, L. O. Wright's as a differential spore stain 140

Effect of the chemical nature of a decolorizer on its functioning. I. The Gram classification 81
II. The apparent isoelectric point 87
Effect of preliminary treatment (fixing fluids) on staining properties of the tissues 49
Ehrenberg, C. G., pioneer in staining 1, 5
Eosin 94, 98–100
Eosin Y 49, 50, 52
Erythrosin 94, 95, 98–100, 102, 104
Ethyl alcohol, substitute in the Gram stain 71
Ethyl eosin, solubility of 13

Fast green, A substitute for light green S F Yellowish 40
Fast red A, solubility of 12
Five years of stain standardization 105
Fixing fluids, effect on staining properties of the tissues 49
Flagella stains, Bowhill's 16
Bunge's 16
Casares-Gil's 17
discussion of some of the factors causing variable results with 14
effect of clearing and decolorizing agents on 24
effect of reaction on 23
effect of temperature on 21
Gray's 17
Loeffler's 16
Loewit's 16
Moore's 16
Morton's (MacCrorrie) 17
Pitfield's 17
Scalvo's 16
Shunk's 17
Strauss' 16
Trenkmann's 16
Van Ermengen's 16
Williams' 17
Zettnow's 17
Fluorescein derivatives, factors influencing staining properties of 94
French, R. W. Note on stain application 130
Fuchsin, basic 122–126
carbol 130
Further studies on a modification of the Gram stain 64

Gallamin blue 28, 31–33, 36

Gallocyanin 28, 31–33, 36
Gentian violet 17, 73–76, 80–82, 88–90
Gentian violet, substitutes for 41
Gerlach, J. von, pioneer in staining 1, 2, 8, 9, 112
Göppert, H. R., pioneer in staining 1, 5
Gram classification 81
Gram stain 73–93
modification of 64
substitute for ethyl alcohol in 71

Hann, H. W. Method of preparing slides for class use 39
Hann, M.; W. C. Holmes, and. Reactions of basic dyes with cyclic derivatives of an acid character 122
Hartig, T., pioneer in staining 2, 7
Haynes, Rachel. Fast green, a substitute for light green S F Yellowish 40
Investigation of thiazin dyes as biological stains. II. Influences of buffered solutions on staining properties 131
Types of safranin and their use 143
Helianthin, solubility of 12
Hemalum 120
Hematoxylin 10, 28–31, 42, 43, 60, 70, 120
metallic lakes of the oxazines as substitutes for 28, 70
nuclear stain substitutes for 28, 70
Hill, J, pioneer in staining 1, 4
History of staining:
Cochineal dyes 110
The pioneers in staining 1
Holmes, W. C. Stain solubilities 12
The spectrophotometric evaluation of mixtures of methylene blue and trimethyl thionin 45
Holmes, W. C.; H. J. Conn, and. Certain factors influencing the staining properties of fluoresce in derivatives 94
Holmes, W. C. and M. Hann. Reactions of basic dyes with cyclic derivatives of an acid character 122
Houseman, P. A. Discussion of paper on "Metallic lakes of the oxazines as nuclear stain substitutes for hematoxylin" 70

Indigo 8, 10
Indigo carmin, solubility of 13
Influence of buffered solutions on staining properties 131
Investigation of thiazin dyes as biological stains. II. Influence of buffered solutions on staining properties 131
Isoelectric point, apparent, of bacteria 87
Isopropyl alcohol with methyl alcohol, in Gram stain 71

Kopeloff, Nicholas, and Cohen, Peter. Further studies on modification of the Gram stain 64
Kornhauser, S. I.; H. J. Conn, and. The history of staining: Cochineal dyes 110
Light green, S F yellowish 40, 43, 57
fast green a substitute for 40, 43

Logwood 109

Magdala red, substitute for 42
Malachite green 43, 125
Maschke, O., pioneer in staining 9, 10
Mayer, P., staining formulae of 118, 119
Metallic lakes of the oxazines (gallamin blue, gallocyanin and coelestin blue) as nuclear stain substitutes for hematoxylin 28
Metallic lakes of the oxazines as nuclear stain substitutes for hematoxylin, discussion of paper on 70
Metanil yellow, solubility of 12
Methyl alcohol with isopropyl alcohol in Gram stain 71
Methyl green 28, 43
Methyl orange, solubility of 12
Methyl violet 28
Methyl violet 6B 64, 69
Methylene azure 28
Methylene blue 45–47, 49–55, 58, 105, 122, 123, 128–130, 131, 133–138
alcoholic 17, 22
($ZnCl_2$ double salt) solubility of 13
and trimethyl thionin, spectrophotometric evaluation of mixtures of .. 45
Methylene violet RRA, solubility of 13
Modification of the Gram stain 64
Muci-carminic acid 119

Naphthoquinon 29, 31
Naphthol yellow S, solubility of 12
Narceine, solubility of 12
Neutral red 58
Neutral red (iodide), solubility of 13
New fuchsin 122, 126, 130
Nigrosin 141
Note on stain application 130
Notes on technic:
Method of preparing slides for class use 39
A new substitute for ethyl alcohol in the Gram stain 71
Types of safranin and their use 143
Nuclear stain substitutes for hematoxylin 28

Orange G, solubility of 12
Orange I, solubility of 12
Orange II, solubility of 12
Osborne, S. G., pioneer in staining 8

Paracarmin 119
Pararosanilin (chloride), solubility of 13
Peronospora Schleidenii, staining of 58
Phloxine 94, 95, 98–100
Picric acid 113, 124, 128
Picric acid, solubility of 12
Pioneers in staining, history of 1
Plant tissues, diseased, staining cell constituents in 57

Ponceau 6 R, solubility of 12
Preparing slides for class use, method of 39
Progress in the standardization of stains:
Five years of stain standardization 105
Stain substitutes 41
Proescher, F. and Arkush, A. S. Metallic lakes of the oxazines (gallamin blue, gallocyanin and coelestin blue) as nuclear stain substitutes for hematoxylin 28
Purpurin 4B, solubility of 13
Pyronin 42
Pyronin B (iodine), solubility of 13

Reactions of basic dyes with cyclic derivatives of an acid character 122
Reichel, G. C., pioneer in staining 1
Resorcin 124–126, 128, 129
Rhodamine B, solubility of 13
Rosanilin 17, 122–126
(chloride), solubility of 13
Rose bengal 94, 95, 98–104, 107

Safranin 105
solubility of 13
types of and their uses 143
Sarrabat, pioneer in staining 1
Scarlet red 28
Siegel, Louis; John W. Churchman, and. Cultural separation of bacteria on the basis of triphenyl methane co-efficients 73
Sky blue, solubility of 13
Slides, preparation of for class use 39
Sodium carminate, dry 117
Solubilities of stains 12
Spectrophotometric evaluation of mixtures of methylene blue and trimethyl thionin 45
Spore stain, Wright's stain as a 140
Stain application, note on 130
Stain solubilities, Part III 12
Stain substitutes 41
for hematoxylin 28, 42, 70
for light green SF yellowish 40, 43
Staining bacterial spores 140
Staining cell constituents in diseased plant tissues 57
Staining, history of 1
of thiazin dyes, influence of buffered solutions on 131
of tissues, preliminary treatment and 49
pioneers in 1
with cochineal dyes, history of 110
Staining properties of fluorescein derivatives, factors influencing 94
Stains, certification of 105–109
Stain substitutes 41
Standardization of stains, five years of progress in 105
Stearn, Allen E. and Esther Wagner Stearn. The effect of the chemical nature of a decolorizer on its functioning. I. The Gram classification .. 81

Stearn, Esther Wagner and Allen E. Stearn. The effect of the chemical nature of a decolorizer on its functioning. II. The apparent isoelectric point 87
Substitutes, stain 28, 40, 41, 70
Substitute for ethyl alcohol in the Gram stain 71
Sudan 28

Tetraethyl thionin 122, 129, 133, 138
Tetramethyl thionin 135
Thiazin dyes, influence of buffered solutions on staining properties 131
Thioflavine T, solubility of 13
Thionin 28, 131, 133–137
solubility of 13
Tissues, diseased plant, staining cell constituents in 57
Tolstoouhov, A. V. The effect of preliminary treatment (fixing fluids) on staining properties of the tissues 49
Toluidin blue 58
Toluidin blue O, solubility of 13
Trimethyl thionin and methylene blue, spectrophotometric evaluation of mixtures of 45
Triphenyl methane co-efficients, cultural separation of bacteria on the basis of 73
Types of safranin and their use 143

Variable results with flagella stains, discussion of 23
Vermilion 8
Victoria green (oxalate), solubility of 13

Waldeyer, pioneer in staining 11
Wool yellow G, solubility of 12
Wright, William H. A discussion of some of the factors causing variable results with flagella stains 14
Wright's stain 140, 141
as a differential spore stain 140

Ziehl's acid carbol fuchsin 16, 22